

**ISO/TC 34/SC 15 N 2199**

ISO/TC 34/SC 15
Coffee

Email of secretary: milena.pires@abnt.org.br
Secretariat: ABNT (Brazil)

ISO 6669:1995 – Result of Systematic Review

Document type: Summary of voting

Date of document: 2016-06-27

Expected action: INFO

Background: The received comments will be analyzed by the SC15 Leadership in order to take a decision about the Systematic Review results.

Committee URL: <http://isotc.iso.org/livelink/livelink/open/tc34sc15>



Systematic Review voting result

Reference	ISO 6669:1995 (vers 4)	Committee	ISO/TC 34/SC 15
Edition number	1	Vienna agreement	
English title	Green and roasted coffee -- Determination of free-flow bulk density of whole beans (Routine method)		
French title	Café vert et café torréfié -- Détermination de la masse volumique sans tassement des grains entiers (méthode pratique)		
Start date	2016-01-15	End date	2016-06-15
Opened on	2016-01-15 00:55:05	Closed on	2016-06-17 02:17:17
Status	Closed		
Voting stage	Systematic review	Version number	4
Vote in parallel with			

Questions

Q.1	Recommended action
Q.2	Has this International Standard been adopted or is it intended to be adopted in the future as a national standard or other publication?
Q.3	Is the national publication identical to the International Standard or was it modified?
Q.4	If this International Standard has not been nationally adopted, is it applied or used in your country without national adoption or are products/processes/services used in your country based on this standard?
Q.5	Is this International Standard, or its national adoption, referenced in regulations in your country?
Q.6	In case the committee decides to Revise/Amend, will/are you committed to participate actively in the development of the project?

Votes by members

Country	Member	Status	Confirm	Revise / Amend	With-draw	Abstain lack of consensus	Abstain lack of national expert input	Q.2	Q.3	Q.4	Q.5	Q.6
Australia	SA	None					X	No		No	No	No
Brazil	ABNT	Secretariat					X	No		No	No	No
Chile	INN	P-Member					X	No		No	No	No
Colombia	ICONTEC	P-Member	X					Yes	Identical		No	Yes (experts nominated)
Costa Rica	INTECO	P-Member				X		No		No	No	No
Côte d'Ivoire	CODINORM	P-Member				X		Yes	Identical		No	Yes (experts nominated)

Votes by members												
Country	Member	Status	Confirm	Revise / Amend	With-draw	Abstain lack of consensus	Abstain lack of national expert input	Q.2	Q.3	Q.4	Q.5	Q.6
Cuba	NC	P-Member	X					No		No	No	No
Ecuador	INEN	P-Member	X					Yes	Identical		No	No
Egypt	EOS	P-Member	X					No		No	No	No
Ethiopia	ESA	P-Member	X					Yes	Identical		No	No
Germany	DIN	P-Member	X					No		Yes	No	Yes (experts nominated)
Ghana	GSA	None	X					No		No	No	No
Hungary	MSZT	P-Member					X	No		No	No	No
India	BIS	P-Member				X		No		No	No	No
Indonesia	BSN	P-Member	X					No		No	No	No
Iran, Islamic Republic of	ISIRI	P-Member	X					Yes	Identical		No	No
Ireland	NSAI	P-Member	X					No		No	No	No
Jamaica	BSJ	P-Member										
Kenya	KEBS	P-Member										
Korea, Republic of	KATS	O-Member		X				Yes	Identical		Yes	No
Pakistan	PSQCA	O-Member	X					Yes	Identical		No	Yes (experts nominated)
Panama	COPANIT	P-Member	X					Yes	Identical		No	Yes (experts nominated)
Peru	INACAL	P-Member		X				Yes	Identical		No	Yes (experts nominated)
Philippines	BPS	P-Member										
Russian Federation	GOST R	P-Member					X	No		No	No	No
Sri Lanka	SLSI	P-Member	X					No		No	No	No
Switzerland	SNV	P-Member	X					No		No	No	Yes (experts nominated)
Uganda	UNBS	P-Member										
United Kingdom	BSI	P-Member	X					Yes	Identical		No	No
United States	ANSI	P-Member	X					No		No	No	Yes (experts nominated)

Votes by members												
Country	Member	Status	Confirm	Revise / Amend	With-draw	Abstain lack of consensus	Abstain lack of national expert input	Q.2	Q.3	Q.4	Q.5	Q.6
Viet Nam	STAMEQ	P-Member	X					Yes	Identical		No	No
P-Members TOTALS												
Total of P-Members voting (*) : 16												
Confirm : 15			15	1	0	3	4	9 Yes 14 No	9 Identical 0 Modified	1 Yes 13 No	0 Yes 23 No	7 Yes 16 No
Revise / Amend : 1												
Withdraw : 0												
TOTALS			17	2	0	3	5	11 Yes 16 No	11 Identical 0 Modified	1 Yes 15 No	1 Yes 26 No	8 Yes 19 No

(*): P-Members having abstained are not counted

Answers to Q.1: "Recommended action" (all votes)		
0 x	Withdraw	
2 x	Revise / Amend	Korea, Republic of (KATS) Peru (INACAL)
17 x	Confirm	Colombia (ICONTEC) Cuba (NC) Ecuador (INEN) Egypt (EOS) Ethiopia (ESA) Germany (DIN) Ghana (GSA) Indonesia (BSN) Iran, Islamic Republic of (ISIRI) Ireland (NSAI) Pakistan (PSQCA) Panama (COPANIT) Sri Lanka (SLSI) Switzerland (SNV) United Kingdom (BSI) United States (ANSI) Viet Nam (STAMEO)
3 x	Abstain (consensus)	Costa Rica (INTECO) Côte d'Ivoire (CODINORM) India (BIS)
5 x	Abstain (expertise)	Australia (SA) Brazil (ABNT) Chile (INN) Hungary (MSZT) Russian Federation (GOST R)
Comments		
Korea, Republic of (KATS) Jeong, Chan-Min Mr		ml should be expressed as mL(SI unit)
Peru (INACAL) Uria, Rosario Mrs		It is advisable to review and update since the committee is scheduled to adopt all ISO standards of coffee for use in laboratories and in industry

Answers to Q.2: "Has this International Standard been adopted or is it intended to be adopted in the future as a national standard or other publication?" (all votes)		
11 x	Yes	Colombia (ICONTEC) Côte d'Ivoire (CODINORM) Ecuador (INEN) Ethiopia (ESA) Iran, Islamic Republic of (ISIRI) Korea, Republic of (KATS) Pakistan (PSQCA) Panama (COPANIT) Peru (INACAL) United Kingdom (BSI) Viet Nam (STAMEO)
16 x	No	Australia (SA) Brazil (ABNT) Chile (INN) Costa Rica (INTECO) Cuba (NC) Egypt (EOS) Germany (DIN) Ghana (GSA) Hungary (MSZT) India (BIS) Indonesia (BSN) Ireland (NSAI) Russian Federation (GOST R) Sri Lanka (SLSI) Switzerland (SNV) United States (ANSI)
Comments		
Australia (SA) Anderson, John Mr		No comment.
Brazil (ABNT) Caetano, Brian Mr		Brazilians experts are studying this subject.
Chile (INN) Alvarado, Ana Maria Mrs		This standard is not found in our work program.
Colombia (ICONTEC) Herrera, Sandra Ms		NTC 4607 CAFÉ VERDE Y TOSTADO. DETERMINACIÓN DE LA DENSIDAD A GRANEL POR CAÍDA LIBRE DE LOS GRANOS ENTEROS (MÉTODO DE Rutina)

Answers to Q.2: "Has this International Standard been adopted or is it intended to be adopted in the future as a national standard or other publication?" (all votes)	
Comments	
Costa Rica (INTECO) Calvo, Felipe Mr.	The NMC study the possibility
Côte d'Ivoire (CODINORM) Assa, Alain Constant M.	NI ISO 6669:1995
Cuba (NC) Estrada Porras, Mileidy Mrs	No
Ecuador (INEN) Naranjo, Daniela Ms	NTE INEN-ISO 6669:2013
Egypt (EOS) Barsoom, Mariem Eng.	it will be adopted as Egyptian Standard in the future
Ethiopia (ESA) Kebede, Surafel Mr	ES ISO 6669:2001
Germany (DIN) Schönenborn, Anja Mrs	ISO 6669 is used in Germany without national adoption.
Ghana (GSA) Dankwa, Iris Mrs	This standard is intended to be adopted in the future
Hungary (MSZT) Kurucz, Csilla Ms.	In the close future it is not intended to be adopted as a national standard.
India (BIS) Bajaj, R.K. Dr	Not yet considered for adoption by NMC
Indonesia (BSN) Sagala, Konny Mrs	used as reference
Iran, Islamic Republic of (ISIRI) Nasiri, Leila Mrs	ISIRI 8465
Ireland (NSAI) Ryan, Victoria Ms	As a policy, NSAI does not adopt ISO publications unless they are also adopted by CEN or need to be adopted for other business reasons
Korea, Republic of (KATS) Jeong, Chan-Min Mr	Adopted in the future
Pakistan (PSQCA) Khanam, Yasmin Ms.	it is intended to be adopted in the future as a national standard
Panama (COPANIT) Ruiz, Maria Mrs	intended to be adopted
Peru (INACAL) Uria, Rosario Mrs	there rules allow for this trial in our country, which will help to improve controls
Russian Federation (GOST R) Poluektova, Olga Ms	Due to lack of interest from experts
Sri Lanka (SLSI) Munaweera, Deepika Mrs.	We have National Standard.
Switzerland (SNV) ebchief, ebchief	no
United Kingdom (BSI) Committee Service Centre, CSC Mr	BS 5752-16:1996
United States (ANSI) Team, ANSI ISO	unsure
Viet Nam (STAMEQ) Son, Pho Duc	TCVN 7031:2002

Answers to Q.3: "Is the national publication identical to the International Standard or was it modified?" (all votes)		
11 x	Identical	Colombia (ICONTEC) Côte d'Ivoire (CODINORM) Ecuador (INEN) Ethiopia (ESA) Iran, Islamic Republic of (ISIRI) Korea, Republic of (KATS) Pakistan (PSQCA) Panama (COPANIT) Peru (INACAL) United Kingdom (BSI) Viet Nam (STAMEO)
0 x	Modified	

Answers to Q.4: "If this International Standard has not been nationally adopted, is it applied or used in your country without national adoption or are products/processes/services used in your country based on this standard?" (all votes)		
1 x	Yes	Germany (DIN)
15 x	No	Australia (SA) Brazil (ABNT) Chile (INN) Costa Rica (INTECO) Cuba (NC) Egypt (EOS) Ghana (GSA) Hungary (MSZT) India (BIS) Indonesia (BSN) Ireland (NSAI) Russian Federation (GOST R) Sri Lanka (SLSI) Switzerland (SNV) United States (ANSI)
Comments		
Germany (DIN) Schönenborn, Anja Mrs		ISO 6667 is used in Germany without national adoption.

Answers to Q.5: "Is this International Standard, or its national adoption, referenced in regulations in your country?" (all votes)		
1 x	Yes	Korea, Republic of (KATS)
26 x	No	Australia (SA) Brazil (ABNT) Chile (INN) Colombia (ICONTEC) Costa Rica (INTECO) Cuba (NC) Côte d'Ivoire (CODINORM) Ecuador (INEN) Egypt (EOS) Ethiopia (ESA) Germany (DIN) Ghana (GSA) Hungary (MSZT) India (BIS) Indonesia (BSN) Iran, Islamic Republic of (ISIRI) Ireland (NSAI) Pakistan (PSQCA) Panama (COPANIT) Peru (INACAL) Russian Federation (GOST R) Sri Lanka (SLSI) Switzerland (SNV) United Kingdom (BSI) United States (ANSI) Viet Nam (STAMEO)
Comments		
Korea, Republic of (KATS) Jeong, Chan-Min Mr		Referenced in regulations

Answers to Q.6: "In case the committee decides to Revise/Amend, will/are you committed to participate actively in the development of the project?" (all votes)		
8 x	Yes	Colombia (ICONTEC) Côte d'Ivoire (CODINORM) Germany (DIN) Pakistan (PSQCA) Panama (COPANIT) Peru (INACAL) Switzerland (SNV) United States (ANSI)
19 x	No	Australia (SA) Brazil (ABNT) Chile (INN) Costa Rica (INTECO) Cuba (NC) Ecuador (INEN) Egypt (EOS) Ethiopia (ESA) Ghana (GSA) Hungary (MSZT) India (BIS) Indonesia (BSN) Iran, Islamic Republic of (ISIRI) Ireland (NSAI) Korea, Republic of (KATS) Russian Federation (GOST R) Sri Lanka (SLSI) United Kingdom (BSI) Viet Nam (STAMEO)
Comments		
Colombia (ICONTEC) Herrera, Sandra Ms		Mr. Nestor Perez, nestor.perez@almacafe.com.co
Côte d'Ivoire (CODINORM) Assa, Alain Constant M.		Mr IRI BI ZAOURI MRS FOFANA ATTI
Germany (DIN) Schönenborn, Anja Mrs		Gregory McGaffin (g.mcgaiffin@coffein-compagnie.de) Oliver Süße-Herrmann (qm@cr3-hermsen.com) Annett Rehfeldt (a.rehfeldt@nkg-kala.com)
Pakistan (PSQCA) Khanam, Yasmin Ms.		will nominate when required
Panama (COPANIT) Ruiz, Maria Mrs		Ing. Maria Ruiz, Ph.D.
Peru (INACAL) Uria, Rosario Mrs		We would like to nominate experts
Switzerland (SNV) ebchief, ebchief		Valerie leloup valerie.leloup@rdor.nestle.com

Answers to Q.6: "In case the committee decides to Revise/Amend, will/are you committed to participate actively in the development of the project?" (all votes)

Comments

United States (ANSI) Team, ANSI ISO	Marino Petracco Marino Petracco <Marino.Petracco@illy.com>
--	--